

Latina

Beth Galí, 1998

EQUIPPED WITH A STRONG VISUAL PROMINENCE AND A USE IN ACCORDANCE WITH ITS DIMENSIONS, THE LATINA STREET LAMP DECORATES LARGE SPACES, AVENUES AND PROMENADES



¹ | Optimal for promenades and large urban spaces

² | Large-format lighting



Piet Smit Terrain, **Rotterdam (Netherlands)**



Marina Palamós Port, **Girona (Spain)**

Latina Street lamp

Urban lighting element for large urban spaces in which it is desired to give prominence to the lighting. Designed especially for the port area of Rotterdam, its lateen sail shape is moreover reminiscent of the enormous cranes in the docks of ports.

15 m high street lamp composed of three elements: shaft, support for projectors and the brace which gives the structure rigidity.

Maintenance

Usual spare parts and maintenance for the units.

Materials and finishes

• Shaft

7m high shaft in Corten steel composed of two sections: square cross-section base and the rest with a forked cross-section. As an option it can be delivered in galvanized steel and painted.

• Support for projectors

Hot-galvanized steel tube, with rectangular cross-section for five revolving projectors.

• Brace

Round hot-galvanized steel tube.

Installation

The street lamp is supplied dismantled in four components: column, support, brace and projectors. The column is fixed using a concrete cube created in situ and anchor bolts, 24 cm below the level of the paving. The foundations must foresee the groove for the electric connection. Assembly instructions are enclosed with the street lamp. The template and the anchor bolts are delivered with the column.

Weight

895 Kg.




Luminaire

Five Tango TNG 400 projectors equipped for discharge lamps with a maximum power of 250W.

Lamp


5 X Máx. 250W HIE-CE/m or HSE
Lampholder: E40
Power of the system: Máx. 5x267W
Luminaire efficiency: 67.46%
Upper flux fraction: 0,00%

Power supply: 230V / 50Hz
Degree of protection: IP-65
Electric class I



Model

Dimensions en cm.





Barcelona Avenue, **Terrassa** (Spain)