



Materials:

Hot-dip galvanised welded steel structure, comprising two or three legs on round disc bases that give stability. Seat and backrest made of FSC-certified tropical hardwood slats protected with one-coat oil.

The metal backrest is made of perforated sheet metal.

Finishes:



Galvanised

Tropical (FSC®)

*The colors shown are merely indicative and may differ from reality. (Other colors available to order)

**See special finishes for marine environments

Weights (kg):

2,46 m bench without backrest: 45.

2,46 m bench with short backrest: 69.

2,46 m bench with long backrest: 83.

3,70 m bench without backrest: 69.

3,70 m bench with metal backrest: 119.

3,70 m bench with backrest: 109.

Installation and maintenance:

Surface fixation by means of two stainless steel anchor bolts per structure.

The bench is supplied unassembled in two or three parts depending on the model.

Instructions, screws and anchor bolts are included.

No functional maintenance is required, others than to maintain the original wood finish.


(For further information log onto urbidermis.com)

Applicable standards: UNE EN 12727, UNE EN 581, UNE 41510, GJL-200 (DIN EN 1561), UNE-EN-ISO 12944, FSC-STD-40-004 (license n°: FSC C009370).


Nu Bench

Jordi Henrich, Olga Tarrassó. 1991


urbidermis
SANTA & COLE




Nu bench 2,46 m without backrest




Nu bench 2,46 m with short backrest




Nu bench 2,46 m with metal backrest



Nu bench 3,70 m without backrest



Nu bench 3,70m with metal backrest



Nu bench 3,70m with backrest

Sizes in cm